



100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	04-Feb-2025	04-Feb-2028	: Date of Next Review
Prepared By:	Taylor Yurick	BSI-COA-0149 v.3.1	: Supersedes
QA/QC Approval:	Jessica DeMaio	Hannah Kuchmas	: Management Approval
Reason for Revision:	See Revision History in MasterControl.		

CERTIFICATE OF ANALYSIS

UREA

BIO EXCIPIENT GRADE / UREA-3250

LOT: UREA-S04-1225-0019

 NH_2CONH_2 • F.W. 60.06 g/mol • CAS# 57-13-6

Manufacturing Date: 12/02/25 Retest Date: 12/31/27

Manufacturing Site: 1474 Rockdale Lane, Stroudsburg, PA 18360

Packaging Site: 100 Majestic Way, Bangor PA, 18013

Meets or Exceeds USP / EP / BP Specifications

USP REQUIREMENTS

ANALYSIS	SPECIFICATION		TEST RESULT
Alcohol Insoluble Matter		0.04% maximum	< 0.01%
Appearance and Color		White / Crystals	White / Crystals
Assay		98.0-102.0%	99.1%
Endotoxin		2.5 EU/g maximum	< 0.5 EU/g
	DNase	None Detected	None Detected
Enzymes	Protease	None Detected	None Detected
	RNase	None Detected	None Detected
Heavy Metals		10 ppm maximum	< 10 ppm
Identification A(IR)		Passes Test	Passes Test
Identification B		Passes Test	Passes Test
	Organic	≤ 0.1%	0.05%
Impurities	Total	≤ 2.0%	0.05%
	Unspecified	≤ 0.1%	< 0.05%
Insoluble Matter		0.010% maximum	0.001%
Loss on Drying		1.0% maximum	0.1%
Melting Range		132-135°C	133 - 135°C
Residue on Ignition		0.010% maximum	< 0.003%
	Arsenic (As)	5 ppm maximum	< 5 ppm
Trace Metals	Copper (Cu)	5 ppm maximum	< 5 ppm
	Iron (Fe)	5 ppm maximum	< 5 ppm
	Lead (Pb)	5 ppm maximum	< 5 ppm

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying.

EP REQUIREMENTS

ANALYSIS	SPECIFICATION	TEST RESULT
Assay	98.5 – 101.5%	99.1%
Appearance of Solution	Clear and Colorless	Clear and Colorless
Alkalinity	Passes Test	Passes Test
Ammonium	500 ppm maximum	<500 ppm
Biuret	0.1% maximum	<0.1%
Heavy Metals	10 ppm maximum	< 10 ppm
Identification A	132 – 135°C	133 – 135°C
Identification B (IR)	Passes Test	Passes Test
Identification C	Passes Test	Passes Test
Identification D	Passes Test	Passes Test
Loss on Drying	1.0% maximum	0.1%
Residue on Ignition	0.1% maximum	< 0.1%

COUNTRY OF ORIGIN: U.S.A.

TEST METHOD REFERENCE: DCN: BSI-ATM-0006

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as an excipient. It is manufactured in accordance with the ICH Q7 Good Manufacturing Practice Guide. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug Product or Household Item.

RESIDUAL SOLVENTS STATEMENT: Based on the manufacturing process and the controlled handling, storage and analysis of this product, this product complies with the requirement and specifications listed in the current USP method <467> Tables 1,2,3, or 4.

Prepared by: Chai McCall Date: 2/16/26 Job Title: QA Tech III

Reviewed by: John Singh Date: 2/17/26 Job Title: QA Supervisor